
ARBOR




Empowering Your Retail EcoSystem

To help digitalize and streamline processes within retail industries, ARBOR offers a portfolio of Internet of Retail (IoR) solutions as a cloud-based central management platform. From front-end data retrieval and computing to back-end unified management, products and places within a customer's IoR ecosystem and create a more intelligent and connected retail ecosystem.




including both hardware computing systems as well our solution can efficiently help connect customers,







Big Data-driven Decision Making



Intelligent Retail

Efficient Customer Service

The Internet of Things is revolutionizing how retailers engage with their customers and run their operations. Retailers that take the lead in IoT gain an important advantage in an already competitive environment. The IoT movement offers retailers new opportunities for growth in critical areas by improving customer experience, optimizing supply chain management and identifying new channels and revenue streams.





Better Mobility

- Compact, lightweight & easily portable
- Unique ambidextrous design for operation comfort



Expansion Flexibility

- Rich I/O expansion support
- Full accessories to expand the functionality as needed
- Vehicle docking and desktop cradle for power charging



IoT-ready Application

- Various vehicle identification devices (barcode scanners, RFID readers, NFC solutions)
- Microsoft Azure, IoT Cloud Solutions



Retail Pharmacy Chain Stores

- Location: Korea & Taiwan
- Product & Service: G0830



Supermarket Price Checker

- Location: Poland
- Product & Service: PC1017



Store Inventory Management

- · Location: Europe
- Product & Service: G0975M / GT-500

Internet of Retail Solutions





Point-of Sale Terminal w/ Card Reader & Scanner



Mobile Rugged Tablet



Price Checker



Handheld Device

Intelligent Logistics

Boosts Distribution Efficiency

Logistics management plays an essential role in an enterprise's productivity. To accelerate the find-and-move operations in today's warehousing and logistics applications, ARBOR offers a comprehensive range of mobile rugged devices featuring versatile data collection methods, real-time communication and vehicle-related features to support the entire logistics management process from the warehouse or while in transportation.





Rugged Design

- IP67/65-certified design
- MIL-STD-810G/F durability
- · Reinforced chassis
- Sealed ports and doors



Realtime Communication

- Integrated Wi-Fi and Bluetooth
- 3G and 4G LTE bands
- Worldwide modem capability



Vehicle Ready

- GNSS/GPS for vehicle tracking
- On-the-move charging
- · Time-saving dismountability



Improved Brewer's Logistics & Distribution

- Location: UK
- Product & Service: GT-500

With a built-in barcode scanner, touchscreen and Android OS, the GT-500 has all the features the brewer needs to improve the distribution process. The GT-500 enables the brewery staff to accomplish their cask scanning and data collection with the maximum efficiency.



Empower Forklift Operation Efficiency

- · Location: Italy
- Product & Service: G1052R

With the G1052R onboard, forklift operators can get picking and shipping instructions in real time. The G1052R ensures timely delivery between workstations as well as instant inventory updates.



Optimize Fleet Management

- Location: Belgium
- Product & Service: GT-78V

ARBOR provides speedy customized design to address customer's in-vehicle charging needs. With our MDM, the solution ensures tracking of all trucks in the fleet at all times.

Extreme Field Performance

Rugged Handheld Devices





GT-500

Standard Model

GT-500-V

For North America Verizon Network



GT-500-UHF (BTO)

With UHF RFID Reader

GT-500 Intelligent Handheld Device

- Quad-core ARM Cortex-A53 1.3GHz CPU
- Supports Android 7.0 operating system
- 5" TFT display with 5-point projected capacitive multi-touch
- · Wi-Fi, Bluetooth 2G/3G/LTE and GPS supported
- Built-in 1D/2D barcode scanner and RFID/NFC reader
- Operating temperature: -15~55°C
- IP-67 certified, 1.5m (5ft.) drop resistance
- Gun handle pistol grip with integrated rechargeable 4800mAh battery (GT-500-UHF)
- UHF RFID reading range up to 5 meters (GT-500-UHF)















Accessories



Pistol Grip

- Ergonomic & comfortable grip
- · Barcode trigger button
- Anti-slip rubber fringe adds friction



Vehicle Docking

- 3A/5V DC input
- Cigarette lighter power adapter
- Optional battery adapter provided



Desktop Cradle

- Micro-USB charging connector
- 2A/5V DC input
- Also fits GT-500 w/ pistol grip securely



Battery Charger

- 4-in-1 battery charger
- · LEDs display charging status
- 75 cm drop resistance
- Overheat detection

Hand Strap

· Quick release design







K430 **Intelligent Handheld Device**

- · High resolution barcode scanner, support multi-scan function
- Equipped with a 4850mAh high capacity battery
- Support continuous barcode scanning up to 5 hours
- 4 inch multi-touch display and physical keyboard
- IP65 rating, 1.5m drop resistance

















G47 Mobile Computing Device

- Adopting octa-core processor MTK 6762 & Android v8.1 OS
- Embedded 1D/2D barcode reader and physical trigger button
- Ruggedized design with IP67 rating
- World mode communications with 2G/3G/4G
- Implementing fingerprint authentication for security protection
- Precise GPS navigation with barometer integrated
- Lightweight design for everyday use, 243g





















Durability

- MIL-STD-810G & IP-65 certified
- Raised bezel for LCD impact protection
- I/O ports with hinged rubber covers
- Corning® Gorilla® Glass 3 compliant touch screen which is resistant to scratches, drops and pressure

Reliable Connectivity

- 2G GSM/GPRS/EDGE, 3G WCDMA and LTE
- Dual SIM cards for dual network access providing optimal coverage
- Integrated Wi-Fi 802.11 a/b/g/n & Bluetooth 4.1

User-Friendly Design

- Multi-touch projected capacitive touch screen
- Custom replaceable battery with optimized battery life
- Suite of sensors, including gyroscope, light sensor, M-Sensor/ E-Compass and G-sensor



Versatile Data Collection

- 2D barcode scanner with physical trigger button
- · Rear 13MP AF camera and front 5MP camera
- NFC/RFID reader

Vehicle Application Ready

- Vehicle mount dock supporting cigarette power plug
- Active GPS module for route navigation



Fire Department in China Implements ARBOR GT-78V


Staff at the Beijing Fire Department needed to improve their inspection workflow by going paperless. ARBOR partnered with a system integrator to deliver a complete solution using GT-78V as the "paper and pen" replacement. The GT-78V's generous screen size made the transition from a clipboard to a tablet painless. The integrated camera allowed for instant, detailed documentations of violations. With industry-leading

IP65 certification and MIL-STD-810G compliance, the GT-78V's rugged features allowed firefighters to operate without fear of interruptions caused by hardware failures.

As records could be better managed electronically and the quality of records is improved as a direct result, the GT-78V solution dramatically increased productivity of the fire department.

Enhances Logistics Efficiency for a LTL Freight Expert in the US

To work without paperwork and streamline work process, a LTL freight company in the US was seeking a solution to enhance their Proof of Delivery efficiency. Upon their request, ARBOR provides the GT-78V, the IoT tablet utilized for both as an in-vehicle HMI and as a portable rugged tablet to fit in one hand to meet drivers' needs on the go.



The GT-78V Proof of Delivery solution eliminates paper-based processes and human errors so that consignment can be accurate and guaranteed. Each party, including customers, drivers, and administrators, can get accurate data and synchronized information along with improved efficiency.

Accessories



Desktop Cradle

- Allows to use and charge the GT-78V at the same time
- LEDs indicating charging status



Vehicle Docking

- 3A/5V DC input
- Cigarette lighter power adapter
- Optional battery adapter provided



Battery Charger

- 4-in-1 battery charger
- LEDs to display the status
- · LEDs indicating charging status
- Overheat detection



3-in-1 Holster











Features

- 8" TFT color LCD 1024 x 768 XGA resolution
- IPS LED display with projected capacitive multi-touch panel
- High mobility with connectivities, including WLAN and Bluetooth
- Identification devices (barcode scanner, RFID & NFC reader and MSR)
- Ideal for warehousing / retail / mPOS applications
- Ergonomic-centered mechanical design
- Compact and sleek design
- Supports Windows 10 & Android v5.x operating systems



Accessories



Docking Cradle

- 3 x USB 2.0 ports
- 1 x GbE LAN
- 1 x HDMI
- MSR, smart card reader & NFC reader



Pistol Grip w/ **Battery**

- 8000mAh power bank
- Power status LED



K-Lock



Rope Stylus Pen



Vehicle Cradle

- 2 x USB 2.0 ports
- Micro USB 5V DC In
- 12V DC Jack
- VESA 75 x 75 mm
- Shock & vibration tested



Pistol Grip



Hand Strap

Purpose-built Ergonomics



Sleek Look and Feel

The G0830 offers an aesthetically appealing design without compromising on functionality. Both the tablet and the docking cradle feature a sleek look and feel. Thus, the features make it a perfect fit for retail, hospitality and entertainment venues.



Lightweight

The ultra compact G0830 tablet PC weighs just 520 grams (1.15 lb) with the battery. It offers enterprise computing without compromising the sleek consumer style and feel. An optional hand strap is available to make it easier to carry and use on-the-go.



Ambidextrous Design

Barcode triggers on the G0830 are engineered to fit both right and lefthanded users to offer a comfortable grip with less fatigue for long-hour operations.



Detachable Pistol Grip

The G0830 comes with an optional pistol-grip style barcode scanner for one-handed use. Its exceptional ergonomic design allows for a superior grip.

Moreover, it features a power bank (optional) for long hour operation. Power LED is also available to show power status.



Compact w/ Adjustable View Angle

The G0830's docking cradle comes with an ultra-compact design to save counter space and significantly reduce your POS device's footprint.

For optimized display, you can tilt the tablet screen for your desired view angle.

Ultimate Flexibility, Versatile Functionality

Multitude of Card Reading Capabilities

The G0830 tablet along with the cradle features a multitude of card reading capabilities, including magnetic stripe card, smart card and NFC. Thus it can be used for member identification and maintenance in applications, such as self checkin, bonus redemption or personal information query.

Smart Card Reader



- ISO 7816
- Support EMV





• ISO 7811 1-6

RFID/NFC



- ISO 15693, 14443A/B
- · Felica, Mifare, Tag it
- NFCIP-1/2
- ST LRI 1K/M24LRXX

NFC



- · ISO15693, 14443
- · Felica, Mifare
- NFCIP-1, NFCIP-2



High Expansion Capability

Featuring rich I/O for peripheral connections, the cradle enables the G0830 to fulfill the needs of a wide range of applications.

ARBOR also offers a modular design to deliver customer-centric solutions and to maximize flexibility and expandability.



Dual OS Support

The G0830 fits both the conventional Windows-dominated POS market as well as the emerging Android market via Operating System and accessory support for both Windows 10 & Android v5.X.



In-Vehicle Ready

Utilizing the compact vehicle docking that supports in-vehicle power, the G0830 can be quickly deployed into a vehicle for logistics and distribution applications.

ARBOR's Tablet POS Selected to Improve Operations and Service for Retail Pharmacy Chain Stores

The G0830 all-in-one POS PC has been chosen by one of the largest retail pharmacy chains in Asia to implement their inventory management, interactive kiosk and intelligent POS systems. The customer selected the G0830 for its versatility, durability, cost-efficiency and overall suitability for profitable operations and utmost superior customer service in complex retail environments.

A retail pharmacy is a complex retail business that not only provides prescription drugs, but also carries thousands of other products that include over-the-counter drugs, cosmetics, magazines, toys, groceries, electronics and more. As a POS system, the ARBOR G0830 allows quick product lookups and item updates at the touch of a button, allowing efficient real-time inventory management.

During peak shopping hours, the ARBOR mobile POS tablet helps process checkout queues, thus reducing potential walkouts by impatient customers. The flexible system accepts NFC-based mobile payments, QR code coupons, and allows integration of peripherals, such as MSR, RFID and Smart Card Readers for credit, debit, and membership cards. This



adds convenience, guarantees quick and secures transaction processing, and boosts customer satisfaction.

In short, the ARBOR G0830 POS system provides maximum flexibility, minimal downtime, lower installation costs, optimal inventory management, and superior customer satisfaction.



Retail/Hospitality

- Mobile Point-of-sale (mPOS)
- Inventory tracking
- Tableside ordering
- Self-service kiosk
- Customer membership management



Logistics

- · Logistics and distribution
- Fleet management
- Fleet safety and driver monitoring



Warehousing

- Stock management
- Inventory process management
- Assets tracking

Ramp Up Your Mobile Workforce

Gladius G0975/G0975M/G1075 Rugged Tablet PC





G0975

9.7" Intel® Celeron® Processor Tablet PC w/ Function Keys



G0975M

9.7" Intel® Celeron® Processor Tablet PC w/ Programmable Keypad

Features

- XGA IPS LED display with projected capacitive touch screen
- High computing performance from Intel® Quad Core Celeron®
- Fully rugged for mobile POS or warehousing application
- Meeting MIL-STD-810G, IP65, 4 ft. drop resistance
- High mobility, multiple connectivity (Bluetooth/WLAN)
- Adopting multi-touch screen with Corning® Gorilla® Glass
- Supporting external battery with battery cover and internal battery

G0975M

The G0975M delivers lightweight mobility with a weight of less than 1 kg. In addition, it features a membrane keypad to enhance speedy input.



Build Your Own System

With ARBOR's CTOS (configure to order service), you can build your own system according to your specific needs required for different vertical markets.

For example, our mPOS module is tailored for retail application. It is designed to streamline your retail operations with everything from mobile POS tools to real-time sale/ stock management.





mPOS Cradle

- 4 x USB 2.0, 2 x RS-232, 1 x Giga LAN, 1 x VGA and DC-IN
- Locking mechanism for theft deterrence
- VESA-75 & RAM-BALL mounting



A Taiwanese Retailer Selects G0975 to Improve Its Warehouse Management

A Taiwanese retailer was seeking a solution to improve their warehouse operations with a forklift-mounted rugged tablet. Reliability and wireless connectivity throughout their large warehouse were the main criteria. ARBOR's G0975 was selected due to its ruggedness, reliability, and rich I/O ports for external equipment integration.

After implementing the G0975 on their forklifts, the forklift

operators' productivity was greatly improved. Thanks to the uninterrupted wireless connectivity and the large 9.7" touch display, the operators can get immediate access to stock information and item location. Timely movement of inventory is now possible. The operators can quickly receive a notification, search and move the goods, and then report the finished task to the warehousing system. The result is faster processing speed, less data loss and overall greater efficiency.

G0975M Optimizes Inventory Management for a Multinational Retailer

A multinational food and shopping company in Asia outfitted its chain stores in Korea with ARBOR's G0975M to manage their merchandise inventory. Packed with features like a barcode scanner, wireless connectivity and a 9.7" multitouch screen as the communication interface, the G0975M is a powerful GOT (graphic operation terminal) that enables the store associates to have the entire inventory at their fingertips. With inventory taking, ordering and forecasting efficiency greatly increased, the G0975M has been proven to deliver a quick return on investment.



Accessories



Desktop Cradle

- 4 x USB 2.0, 2 x RS-232, 1 x Giga LAN, 1 x VGA and DC-IN
- Allows to charge and use the device simultaneously
- Vibration and shock resistance



Vehicle Cradle

- 3 x USB 2.0, 1 x LAN, 1 x cigarette lighter socket, and DC-IN
- Locking mechanism for theft deterrence
- VESA-75 & RAM-BALL mounting
- Vibration and shock resistance



Hand Strap

Streamline Your Mobile Operations

Gladius G1052C/R 10.4" Rugged Tablet PC





Features

- 10.4" AFFS+ TFT Active Matrix with capacitive touch panel
- Ultra low power consumption
- Fully rugged for mobile POS or warehousing application
- Meeting MIL-STD-810G, IP54, 4 ft. drop resistance
- High mobility, multiple connectivity (Bluetooth/WLAN/WWAN)
- Identification devices (barcode scanner, RFID & NFC reader and MSR)
- Hot-swappable external battery w/ redundant internal battery
- 23-key keypad with numeric keys and function Keys
- I.P.A. (Isopropyl) alcohol clearing allowed

Build Your Own System

Customize your G1052 via ARBOR's CTOS (Configure to Order Service) to meet your special needs. The CTOS includes 1D/2D Barcode scanner / 3.75G HSUPA wireless kit / GPS and RS-232 2-in-1 kit / Smart Card Reader and RS-232 2-in-1 kit / 13.56MHz RFID & NFC kit / 5.0M rear CMOS camera kit and 4G LTE Wireless Kit



Accessories



Desktop Cradle

- 3 x USB 2.0, 1 x LAN and DC-IN
- Vibration and shock resistance
- Charge and use your device simultaneously



Battery Charger

- Charge two batteries simultaneously
- Vibration and shock resistance
- 19V/3.4A charger power input



Capacitive Touch Pen



Neck Strap



Hand Strap



Mount Bracket

Enhancing Customer Experience





Features

- Quad-Core ARM Cortex-A35 CPU 1.5G Hz, Android-based
- 10.1" LCD display
- 10-point projected capacitive multi-touch screen
- H.265/HEVC video decode
- PoE connectivity (PD)



Better Engage Customers with the Multi-Functional PC1017

ARBOR's PC1017 was implemented in the stores of a Poland supermarket chain as the product & price information checking terminal. The compact PC1017 combines price checking and signage functions in one unit. It conveniently offers customers not only the price but also the full product information. By displaying promotion videos in regular intervals, retailers can also better engage their customers in the retail environment.

Implement PC1017 as an Informative Tool for Promoting Sales

A worldwide sports gear & equipment chain store selected to install ARBOR's PC1017 in their stores in Poland as their price checker. Utilizing the barcode scanner and miniature screen, customers can receive price and product information. They can also input their member ID to get coupons and other product discount information.



Build Your Own System

Customize your PC1017 via ARBOR's CTOS to meet your special needs:

- RFID & NFC module
- 1D barcode scanner
- 2D barcode scanner

- WLAN 802.11 a/b/g/n & Bluetooth 4.0 + BLE
- 2MP front-facing camera

Selection Guide









NEW



NEW

	30 2	*	1000		
Model	PD470	G47	K430	Gladius GT78-VN	
Dimensions (WxHxD)	77.45 x 157.9 x 21.95 mm	77.45 x 157.9 x 21.95 mm	68 x 164 x 20 mm	147 x 220 x 20.9 mm	
СРИ	8*Cortex-4*A53 2.0GHz/ 4*A53 1.5GHz	8*Cortex-4*A53 2.0GHz/ 4*A53 1.5GHz	MTK6762 Octa processor Cortex Quad-Core A53 2.0GHz / Quad Core xA53 1.5GHz	MTK MT2635 ARM Cortex-A53 Quad Core 1.3GHz	
Memory	2GB	2GB/3GB*	2GB, up to 4GB	3GB	
Storage	16GB	16GB/32GB*	16GB, up to 64GB	16GB	
Camera	1 x 5.0 MP (Front) 1 x 13MP AF (Rear)	1 x 5.0 MP (Front) 1 x 13MP AF (Rear)	1 x 8 MP AF (Rear)	1 x 5.0 MP (Front) 1 x 13MP AF (Rear) 1 x Flashlight	
WLAN	802.11 a/b/g/n/ac/r	802.11 a/b/g/n/ac/r 2.4G+5G	802.11 ac/a/b/g/n 2.4G & 5G dual mode	802.11 a/b/g/n	
Bluetooth	Bluetooth 4.2	Bluetooth 5.0	Bluetooth 4.1	Bluetooth 4.1	
WWAN	BC0/GSM/GPRS/EDGE Multislot Class / W-CDMA(UMTSFDD, TRRA-FDD) / CDMA2000 1xEV-DO Release 0 (TIA/IS- 856) / E-UTRA Bands supported	BC0/GSM/GPRS/EDGE Multislot Class / W-CDMA(UMTSFDD, TRRA-FDD) / CDMA2000 1xEV-DO Release 0 (TIA/IS- 856) / E-UTRA Bands supported	TDD-LTE / FDD-LTE / UMTS/ HSDPA/ HSPA/ HSPA+ (900/2100 MHz) / GSM/EDGE/GPRS (850/1800/900/1900MHz)	2G GSM / GPRS / EDGE 3G WCDMA / LTE	
GPS	Yes	Yes	Yes	Yes	
Audio & Vibrator	2 x Mic, 1 x Speaker	2 x Mic, 1 x Speaker	1 x Receiver, 1 x Speaker, 1 x Mic, 1 x Headphone Jack	1 x Mic, 1 x Speakers, 1 x 3.5mm headphone jack	
SD card slot	1 x microSD	1 x microSD	1 x microSD	1 x microSD	
SIM / T Card Type	1 x Nano + T Card / 2 x Nano	1 x Nano + T Card / 2 x Nano	2 x micro-SIM	1 x micro-SIM	
USB Port	1 x USB Type C	1 x USB Type C	1 x Micro 5-pin USB cable	1 x micro USB 2.0	
Display	5"	5"	4"	8"	
Max Resolution	1280 x 720	1280 x 720	800 x 400	1280 x 800	
Touch Screen	Projected Capacitive 5-Point Multi-Touch	Projected Capacitive 5-Point Multi-Touch	Projected Capacitive 5-Point Multi-Touch	Projected Capacitive 5-Point Multi-Touch	
Power Adapter Input	100~240VAC	100~240VAC		100~240VAC	
Power Adapter Output	DC 9V, 2A	DC 9V, 2A	5V/2A, 9V/2A, 12/1.5A (Quick Charge)	DC 9V/2A, 5V/2A	
Battery	1 x 4000mAh	1 x 4000mAh	1 x 4850mAh	1 x 6200mAh	
Barcode scanner	1D/2D*	Honeywell N6603 / N3603 Zebra SE4710	CR8900 (CODE decoding) Honeywell N6603* Barcode SE4710*	2D	
RFID & NFC	Yes	Yes	Yes*	On tablet / On cradle*	
Docking	Desktop Charging Docking	Desktop Charging Docking	-	Desktop cradle*	
Certification	-	Explosion Protection Ex ic IIC T5 Gc X (No.: ML081100705740)	ccc	-	

^{*}Optional











Model	Gladius G0830	PC1017	Gladius G0975	Gladius G0975M	Gladius G1052C/R
Dimensions (WxHxD)	208.5 x 150.6 x27 mm	248.3 x 194.4 x 35.2 mm	260 x 200 x 29 mm	260 x 200 x 29 mm	294 x 205 x 25 mm
CPU	Intel [®] Atom™ x5-Z8350 Processor	ARM Quad-Core Cortex A35 1.5Ghz	Intel® Celeron® N2930 Quad-Core 1.83 GHz	Intel® Celeron® N2930 Quad-Core 1.83 GHz	Intel® Celeron® N2930 Quad-Core 1.83 GHz
Graphics	Intel [®] HD Graphics	-	Intel [®] HD Graphics	Intel [®] HD Graphics	Intel [®] HD Graphics
Memory	2GB DDR3L	2GB DDR4	2GB DDR3L SO-DIMM	2GB DDR3L SO-DIMM	2GB DDR3L SO-DIMM
Storage	64GB eMMC	16GB eMMC	1 x 32GB MLC mSATA SSD	1 x 32GB MLC mSATA SSD	1 x 32GB MLC mSATA SSD
Camera	1 x 2.0 MP (Front) 1 x 8.0 MP, AF (Rear)	1 x 2MP (Optional)	1 x 5.0 MP	1 x 5.0 MP*	1 x 5.0 MP
WLAN	802.11 a/b/g/n/ac	802.11 a/b/g/n	802.11 a/b/g/n	802.11 a/b/g/n	802.11 a/b/g/n
Bluetooth	Bluetooth 4.1	Bluetooth 4.0 BLE	Bluetooth 4.0 LE	Bluetooth 4.0 LE	Bluetooth 4.0 LE
WWAN	-	-	-	-	HSUPA/HSPA+/LTE*
GPS	Yes*	-	Yes*	Yes*	Yes*
LAN	1 x RJ-45	1 x10/100M w/ PoE	1 x RJ-45 (cradle)	1 x RJ-45 (cradle)	1 x RJ-45 (cradle)
Audio	1 x Mic, 2 x Speakers, 1 x 3.5mm headphone jack	1 x Speaker	1 x Mic, 2 x Speakers, 1 x 3.5mm headphone jack	1 x Mic, 2 x Speakers, 1 x 3.5mm headphone jack	1 x Mic, 1 x Speakers, 1 x 3.5mm headphone jack
SD Card Slot	1 x microSD	-	1 x microSD/ SDHC/SDXC	1 x microSD/ SDHC/SDXC	1 x SD/SDHC/SDXC
Serial Port	-	-	2 x RS-232 (cradle)	2 x RS-232 (cradle)	1 x RS-232*
Video Output	1 x HDMI	-	1 x Mini HDMI 1.4 1 x VGA (cradle)	1 x Mini HDMI 1.4 1 x VGA (cradle)	-
USB Port	1 x Micro USB 2.0 (OTG) 3 x USB 2.0 (on cradle)	2 x USB 2.0	1 x USB 3.0, 1 x micro USB 2.0 4 x USB 2.0 (cradle)	1 x USB 3.0, 1 x micro USB 2.0 4 x USB 2.0 (cradle)	1 x USB 3.0 3 x USB 2.0 (cradle)
Display	7.85"	10.1"	9.7"	9.7"	10.4"
Max Resolution	1024 x 768	1280 x 800	1024 x 768	1024 x 768	1024 x 768
Touch Screen	Projected Capacitive 10-Point Multi-Touch	Projected Capacitive 10-Point Multi-Touch	Projected Capacitive 10-Point Multi-Touch	Projected Capacitive 10-Point Multi-Touch	Projected Capacitive 10-Point Multi-Touch
Power Input	100 ~ 240VAC	100 ~ 240VAC	100 ~ 240VAC	100 ~ 240VAC	100 ~ 240VAC
Power Output	DC 5V, 2A, 10W (tablet) DC 12V. 5A. 60W (cradle)	DC 12V, 2.5A	DC 19V, 3.42A, 65W	DC 19V, 3.42A, 65W	DC 19V, 3.42A, 65W
Battery	1 x 4000mAh	-	1 x 2270mAh (4-cell), 1 x 2270mAh (2-cell)*	1 x 2270mAh (3-cell)	1 x 2500mAh, 1 x 1880mAh*
Smart Card Reader	On cradle	-	-	-	Yes*
Barcode scanner	2D	1D or 2D	Yes*	Yes*	Yes*
RFID & NFC	On table / On cradle*	Optional	-	-	Yes*
Stylus	Optional	-	-	-	Yes*
Docking	Desktop cradle*	-	Desktop cradle / vehicle cradle*	Desktop cradle / vehicle cradle*	Yes*
MSR	On cradle	-	Yes*	Yes*	Yes*

^{*}Optional

Headquarters

ARBOR Technology Corp.

10F., No.700, Zhongzheng Rd., Zhonghe Dist., New Taipei City 235, Taiwan

Tel: +886 2 8226 9396 Fax: +886 2 8226 9398 sales@arbor.com.tw

The Americas

ARBOR Solution, Inc.

Tel: +1 408 452 8900 Fax: +1 408 452 8909 info1@arborsolution.com

Europe

ARBOR France

Tel: +33 (0)1 55 63 90 87 Fax: +33 (0)1 81 50 00 29 info@arbor-france.com

ARBOR UK

Tel: +44 1908 310100 Fax: +44 1908 310107 sales@arbor-uk.com

ARBOR Italy

Tel: +39 011 19700011 Fax: +39 011 19700015 info@arboritalia.it

China

ARBOR Shenzhen

Tel: +86 755 83438567 Fax: +86 755 83438597 infocn@arbor.com.tw

ARBOR Beijing

Tel: +86 10 82665810 Fax: +86 10 82665810-819 infocn@arbor.com.tw

ARBOR Shanghai

Tel: +86 21 64287904 Fax: +86 21 64397795-188 infocn@arbor.com.tw

ARBOR Nanjing

Tel: +86 25 83694872 Fax: +86 25 83694873-208 infocn@arbor.com.tw

Asia-Pacific

ARBOR Taiwan

Tel: +886 2 82269396 Fax: +886 2 82269398 sales@arbor.com.tw

ARBOR Korea

Tel: +82 028555840 Fax: +82 028555841 sales@arbor.com.tw

ARBOR Australia

Tel: +61 3 8736 0300 Fax: +61 3 8736 0325 info@arboraust.com