

Industrial/Military Level Ruggedized Silicone Rubber Mice/Keyboards

Key Technology's ruggedized military level silicone Mice/keyboards are EMC/EMI approved according to recognized military standards, which meets MIL-STD-461G with EMC (Electro Magnetic Compatibility) etc. & MIL-STD-810F (shock, vibration, humidity) etc. Detailed info:

Meet MIL-STD-461G with EMC (Electro Magnetic Compatibility) etc.:

CE101 25Hz - 10kHz Conducted Emissions, Audio Frequency Currents, Power leads

CE102 10kHz -10MHz Conducted Emissions, Radio Frequency Potentials, Power leads

CS101 25Hz - 150kHz Conducted Susceptibility, Power Leads

CS106 Conducted Susceptibility, Transients, Power Leads

CS112 Electrostatic Discharge Susceptibility

CS114 4kHz -400MHz Conducted Susceptibility, Bulk Cable injection

CS115 Conducted Susceptibility, Bulk Cable injection, Impulse Excitation

CS116 10kHz - 100MHz Conducted Susceptibility, Damped Sinusoidal Transients, Cables and Power Leads

RE101 25Hz -100kHz Radiated Emissions, Magnetic Field

RE102 10kHz - 18GHz Radiated Emissions, Electric Field

RS101 25Hz - 100kHz Radiated Susceptibility, Magnetic Field

RS103 10kHz - 40GHz Radiated Susceptibility, Electric Field

MIL-STD-810F (wide temperature, shock, vibration, humidity).

Features as below:

- Durable & fully sealed one-piece silicone cover
- EMC/EMI approved
- Force sensing resistor pointer/touchpad integrated
- Wide operation temperature from $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$
- NVIS backlit optional
- Easy to integrate
- Dependability
- High electromagnetic compatibility
- Strong anti-interference ability
- Environmental adaptability
- Strongly anti-vibration and impact resistance



K-TEK-M465-38-MTB-AVB-FN-MS-BL-NV-151B

Ruggedized Silicone Rubber Keyboard
www.prosoft.ru



- With 38mm mechanical trackball
- Meets MIL-STD-461G with EMC & MIL-STD-810F
- Adjustable white backlight included
- Fn keys on the top line for easy operation
- Top panel mount with 4 sinking holes
- Military level, Wide temperature of -40 to +60°C

IP Grade	keyboard: IP67 trackball: IP52
Interfaces	Aviation plug or USB
Keys	87 keys
Key life	5 millions
Dimension	465.0 mm*165.0mm (L x W)


Close-up



Back View



K-TEK-M134-38-MTB-AVB-151B



Aviation plug

K-TEK-M183-FN-ML

Ruggedized Silicone Rubber Keyboard


www.prosoft.ru



- Sealing to IP67
- Adjustable industrial backlight for optional
- Fn keys on the top line for easy operation
- Military level, industrial level optional
- Rear panel mount with mounting holes
- Wide temperature of -40 to +80°C

IP Grade	IP67
Interfaces	USB/PS2
Keys	69 keys
Key life	5 millions
Dimension	182.5 mm*93.0mm (L x W)

Close-up



Back View



Close-up pic



PS2/USB interfaces available

K-TEK-M315KP-FN-MS-BL

Ruggedized Silicone Rubber Keyboard

www.prosoft.ru



- Sealing to IP67, 102 keys
- FN keys on top line for easy operation
- Rear panel mount solution
- Membrane key switch technology with super light tactile
- Adjustable industrial white/red backlight included
- Integrated with numeric keypad

IP Grade	IP67
Interfaces	PS2, USB available
Key life	5 millions
Key type	1.20mm
Dimension	315.0mm*108.0mm (L x W)

Alternatives



Back View



K-TEK-M315KP-FN-MS-BL-NV-151B+M73TP

K-TEK-M330TP-FN-BL-NV-EMC-OEM

Ruggedized Silicone Rubber Keyboard
www.prosoft.ru




- Integrated with sealed and tough touchpad
- Rear panel mounted solution
- Meets MIL-STD-461G and MIL-STD-810F
- White backlight integrated
- Military level with wide temperature -40°C - +85°C
- With strong anti-interference and stability, low radiation

IP Grade	IP67
Interfaces	PS2, USB available
Key life	5 millions
Key type	1.50mm
Dimension	330.0mm*130.0mm (L x W)

Alternatives



White backlight



Back View



K-TEK-M276TP-FN-BL-ML-EMC-FDT

K-TEK-M270-FN-MS-BL-NV-151B




- Compact format design
- Meets MIL-STD-461G with EMC & MIL-STD-810F
- Adjustable industrial white backlight included
- Industrial level optional
- 12 FN keys on the top line
- Wide temperature of -40 to +80°C
- Domestic brand for whole keyboard and touchpad

Ruggedized Silicone Rubber Keyboard

www.prosoft.ru

IP Grade	IP67
Interfaces	USB
Color available	Black
Key type	1.50mm
Dimension	270.0mm x 113.0mm(L x W)

Alternatives



Back View



K-TEK-M282-DHP-FN-BL-NV-151B



K-TEK-M270-FN-MS-BL-NV-151B+M73TP

K-TEK-M284-FN-BL-NV-151B+TP6549-002


Ruggedized Silicone Rubber Keyboard
www.prosoft.ru



- Military grade with strong anti-interference, low radiation
- MIL-STD-461G with EMC & MIL-STD-810F
- Adjustable white/red backlight included
- With a separate domestic military-grade wide temperature touchpad
- Industrial level optional

IP Grade	IP67
Interfaces	PS2
Wide temperature	-40°C - 85°C
Key type	1.50mm
Dimension	Keyboard: 284.0mm*109.0mm (L x W) Touchpad: 68.0mm * 49.0mm (L x W)

Alternatives



Back View



K-TEK-M284-FN-BL-NV-151B



K-TEK-M284-FN-BL-ML-EMC-OEM

K-TEK-M312TP-FN-BL-NV-151B-DT



- Integrated with sealed and tough touchpad
- FN+Clean keys to freeze keyboard when cleaning
- White/red/blue or green color backlight optional
- With strong anti-interference, stability and low radiation
- Meets MIL-STD-461G and MIL-STD-810F
- With extremely good tactile feeling
- Inclined mountable desk top version with VESA mounting holes

Ruggedized Silicone Rubber Keyboard

www.prosoft.ru

IP Grade	IP67
Interfaces	Aviation plug or USB2.0
Wide temperature	-40°C - 85°C
Key type	1.50mm
Dimension	312.0mm x 215.1mm x 22.0 ~40.4mm (L x W x H)

Close-up



Back View



K-TEK-M464-DTP-DHP-FN-MS-BL

Ruggedized Silicone Rubber Keyboard
www.prosoft.ru



- Sealing to IP67
- Industrial membrane key switch technology
- Adjustable industrial white backlight included
- Aviation plug or USB2.0 interface available
- Panel mounted solution with sinking holes
- With Touchpad and Force Sensing Resistor pointing device

IP Grade	IP67
Interfaces	Aviation plug or USB2.0
Operating temperature	-20°C - 50°C
Key type	1.20mm
Dimension	464.0mm x 182.0mm(L x W)

Close-up



Back View



K-TEK-M275TP-FN-BL-NV-EMC-151B



- Sealing to IP67
- Meets MIL-STD-461G and MIL-STD-810F
- Integrated with sealed and tough touchpad
- Red or white color backlight optional
- Top panel mount solution
- Industrial level optional
- Customized layout available
- With strong anti-interference, stability and low radiation

Ruggedized Silicone Rubber Keyboard

www.prosoft.ru

IP Grade	IP67
Interfaces	USB
Wide temperature	-40°C - 85°C
Key type	1.5 mm
Dimension	275.0mm x 169.70mm (L x W) (Front panel)

Alternatives



Back View



K-TEK-M275TP-FN-BL-NV-EMC-OEM



K-TEK-M275-OTB-FN-OEM

K-TEK-M425-LTB-FN-MS-BL



Ruggedized Silicone Rubber Keyboard

www.prosoft.ru


- IP67 dynamic silicone rubber keyboard
- With a conventional mouse with middle wheel, left/right buttons
- With IP54 rating 34mm 1200DPI laser trackball
- With adjustable white backlight included
- Membrane key switch technology with light tactile
- Black titanium eletrcoplated on aluminum housing
- Top panel mount solution with 4 sinking holes
- Rugged stainless steel backplate optional

IP Grade	IP67 + IP54
Interfaces	Aviation plug or USB2.0
Key stroke	1.2mm
Backlit color	White/Red
Dimension	425.0mm x 150.0mm (Front panel)

Alternatives



back view



With SS front panel and red backlit version
K-TEK-M415-OTB-FN-BL-OEM



Touchpad version with top panel mount

K-TEK-M18FK



- Sealing to IP67
- Durable silicone cover
- Customized layout available
- Rear panel mount with mounting holes
- USB or PS2 or dot matrix interface available

Ruggedized Silicone Rubber Function Keypad

www.prosoft.ru

IP Grade	IP67
Interfaces	Matrix/USB/PS2
Color available	Black
Key type	2.0mm
Dimension	18.0mm x 96.0mm(Front panel)

Close-up



Back View



Close-up pic

K-TEK-M62KP-AC-9-BL





- Sealing to IP65
- Durable and rugged silicone cover
- 9 keys/12 keys for optional
- Customized layout available
- Dot matrix interface
- With industrial backlight

Ruggedized Silicone Rubber Function Keypad

www.prosoft.ru

IP Grade	IP65
Interfaces	Matrix
Color available	Black
Backlit color	White
Dimension	62.0mm x 139.0mm(Front panel)

Alternatives



K-TEK-M110TP-FN-ML-SS



- Sealing to IP65
- Durable and rugged silicone cover
- 49 buttons, layout can be customized
- Integrated with touchpad and
- Force sensing resistor with 4 arrow buttons
- White or black color optional
- Military level with wide temperature compatible
- Stainless steel backplate with mounting holes

Ruggedized Silicone Rubber Function Keypad

www.prosoft.ru

IP Grade	IP65
Interfaces	USB/PS2
Color available	Black or white
Dimension	110.0mm x 135.0mm(Front panel)

Close-up



Back View



Close-up pic



Close-up pic

K-TEK-M130-25-OTB-KP-OEM




- Sealing to IP67
- Durable and rugged silicone cover
- With IP68 optical trackball at 800DPI
- With numeric keys
- Customized layout available
- Rear panel mount with mounting holes

Ruggedized Silicone Rubber Keypad
www.prosoft.ru

IP Grade	IP67
Interfaces	USB/PS2
Color available	Black
Key type	1.5mm
Dimension	130.0mm x 78.0mm(Front panel)

Alternatives



Back View



Resin optical trackball optional



Close-up pic

K-TEK-M160-HP-KP-SS-DWP



- Sealing to IP67, 22 keys.
- Compact format design
- Integrated with Force sensing resistor pointer
- Durable silicone cover
- Panel mount with mounting holes around
- Clean key to lock the keyboard during cleaning process
- 3 mouse keys


Ruggedized Silicone Rubber Keypad
www.prosoft.ru

IP Grade	IP67
Interfaces	USB/PS2/RS232
Keys	22
Mounting	Panel mount
Dimension	140.0mm x 105.0mm (Front panel)

Alternatives



Back View



Desk top version for optional
K-TEK-M160-HP-KP-DT-DWP



PS2/RS232/USB interfaces available

K-TEK-M222-FN-ML-OEM



- IP67 ruggedized silicone rubber keyboard
- Ultra thin design with thickness 9.1mm only
- Customized layout available
- FN+Clean keys to freeze keyboard when cleaning
- Military level
- Design to meet EMC/EMI

Ruggedized Silicone Rubber Keyboard

www.prosoft.ru

IP Grade	IP67
Interfaces	USB/PS2
Color available	Black
Key type	1.5 mm
Dimension	222.0mm x 100mm x 9.1mm (L x W x H)

Alternatives



Back View



PS2/USB interfaces available



Close-up pic

K-TEK-M270-FN-BL-ML-EMC-OEM



- IP67 ruggedized silicone rubber keyboard
- Customized layout available
- FN+Clean keys to freeze keyboard when cleaning
- Industrial level optional
- Adjustable 4 level backlit brightness
- Rear panel mount with mounting holes
- Design to meet MIL-STD-461G and MIL-STD-810F

Ruggedized Silicone Rubber Keyboard

www.prosoft.ru

IP Grade	IP67
Interfaces	USB/PS2
Color available	Black
Backlit color	Red/White/Green/Blue
Dimension	270.0mm x 113.0mm(Front panel)

Alternatives



Back View



Non-backlit optional
K-TEK-M270-FN-IL-OEM



Desktop optional
K-TEK-M270-FN-DT-IL



Close-up pic

K-TEK-M270-FN-MS-BL



- IP67 ruggedized silicone rubber keyboard
- Industrial membrane key switch technology
- FN+Clean keys to freeze keyboard when cleaning
- Military level MIL-STD-461G and 810F optional
- Adjustable 4 level white backlit brightness
- Rear panel mount with aluminum back plate with mounting holes, desktop version optional

Ruggedized Silicone Rubber Keyboard

www.prosoft.ru

IP Grade	IP67
Interfaces	USB/PS2
Key travel	1.2mm
Backlit color	Red/White optional
Dimension	270mm*113mm (Front panel)

Alternatives



Back View



Carbon-on-gold key switch technology
type K-TEK-M270-FN-IL-BL-OEM



Desktop optional
K-TEK-M270-FN-DT-IL



Close-up pic

K-TEK-M400TP-FN-BL-AL-FDT



- IP67 dynamic silicone rubber keyboard
- Membrane key switch technology with light tactile
- With IP65 sealed touchpad and FN keys
- With adjustable white backlight included
- Customized layout available
- black titanium eletrcoplated on aluminum housing
- Movable desk top version, panel mount optional

Ruggedized Silicone Rubber Keyboard

www.prosoft.ru

IP Grade	IP67
Interfaces	USB/PS2
Key stroke	1.2mm
Backlit color	White
Dimension	400mm x 150mm

Alternatives



Back view



Close-up pic for touchpad



Trackball version
K-TEK-M425-LTB-FN-BL-BT

K-TEK-M275TP-FN-BL-IL-OEM



- IP67 ruggedized silicone rubber keyboard
- Customized layout available
- FN+Clean keys to freeze keyboard when cleaning
- 4 levels backlit brightness adjustable
- Industrial level or Military level optional
- Different backplate optional
- Top panel mount with glue sealing
- Ideal for rugged laptop/military PC etc. applications

IP Grade	IP67
Interfaces	USB/PS2
Color available	Black
Backlit color	Red
Dimension	283.00mm x 177.70mm (L x W)

Alternatives



Back View



Stainless steel backplate optional
K-TEK-M275TP-FN-BL-IL-SS



Desktop version optional
K-TEK-M275TP-FN-BL-IL-FDT



Non-backlight optional
K-TEK-M275TP-FN-IL-OEM

K-TEK-M275TP-FN-BL-ML-EMC-OEM




- IP67 ruggedized silicone rubber keyboard
- With sealed and tough industrial touchpad
- Customized layout available
- FN+Clean keys to freeze keyboard when cleaning
- Military level, EMC/EMI certificated
- Meet MIL-STD-461G & MIL-STD-810F
- Anti-interference, electromagnetic compatibility
- 4 levels backlit brightness adjustable, NVIS optional

Ruggedized Silicone Rubber Keyboard

www.prosoft.ru

IP Grade	IP67
Interfaces	USB/PS2
Color available	Black
Backlit color	Red/White
Dimension	275.00mm x 168.00mm (L x W)

Alternatives



Back View



Stainless steel backplate optional
K-TEK-M275TP-FN-BL-ML-EMC-SS



Desktop version optional
K-TEK-M275TP-FN-BL-ML-EMC-FDT



Rectangle version
K-TEK-M275TP-FN-ML-SQ-EMC-OEM

K-TEK-M276KP+M18FK



- IP67 ruggedized silicone rubber keyboard
- With separate FN keys
- Customized layout available
- Rear panel mount with mounting holes

Ruggedized Silicone Rubber Keyboard

www.prosoft.ru

IP Grade	IP67
Interfaces	USB/PS2
Color available	Black
Key type	1.5mm
Dimension	280.0mm x 80.0mm (Front panel)


Close-up



Back View



Main part



Close-up pic

K-TEK-M275-FN-BL-ML-UT-OEM

Ruggedized Silicone Rubber Keyboard
www.prosoft.ru



- IP67 ruggedized silicone rubber keyboard
- Ultra thin design with thickness 5.2mm only
- Customized layout available
- FN+Clean keys to freeze keyboard when cleaning
- Military level
- Adjustable 4 level backlit included, NVIS optional
- Design to meet EMC/EMI

IP Grade	IP67
Interfaces	USB/PS2
Color available	Black
Backlit color	Red/White/Green/Blue
Dimension	275.0mm x 104.0mm(Front panel)

Alternatives



Back View



Non-backlit optional
K-TEK-M275-FN-ML-UT-OEM



Close-up pic

K-TEK-M276HP-FN-BL-ML-EMC-OEM

Ruggedized Silicone Rubber Keyboard
www.prosoft.ru



- IP67 silicone rubber keyboard
- Integrated with Force Sensing Resistor (FSR)
- With 12 FN keys
- With adjustable NVIS red backlight optional
- Customized layout available
- Meet MIL-STD-461G & MIL-STD-810F
- Panel mount solution
- With tough & sealed touchpad optional

IP Grade	IP67
Interfaces	USB/PS2
Color available	Black
Backlit color	Red/White/Green/Blue
Dimension	280.4mm x 152.0mm(Front panel)

Alternatives



Back View



Desktop version optional
K-TEK-M276HP-FN-BL-ML-EMC-FDT



Stainless steel backplate with mounting holes
K-TEK-M276HP-FN-BL-ML-EMC-SS



Touchpad mouse optional
K-TEK-M276TP-FN-BL-ML-EMC-OEM

K-TEK-M284-FN-BL-NV-151B



- IP67 ruggedized silicone rubber keyboard
- With 12 FN keys
- With adjustable white backlight
- Customized layout available
- Meet MIL-STD-461G & MIL-STD-810F
- Panel mount solution
- With integrated external touchpad or mouse buttons optional

IP Grade	IP67
Interfaces	USB
Color available	Black
Backlit color	White
Dimension	284.00mm x 109.00mm (L x W)

Alternatives



Back View



Non-backlit optional
K-TEK-M284-FN-ML-OEM-EMC



K-TEK-M284-FN-BL-ML-OEM-EMC

K-TEK-M300-FN-IL

Ruggedized Silicone Rubber Keyboard

www.prosoft.ru



- IP67 ruggedized silicone rubber keyboard
- With 12 FN keys
- Customized layout available
- FN+Clean keys to freeze keyboard when cleaning
- Military level/Industrial level optional
- With rugged aluminium backplate

IP Grade	IP67
Interfaces	USB/PS2
Color available	Black
Key type	1.5mm
Dimension	300.0mm x 105.0mm(Front panel)

Close-up



Back View



Close-up pic

K-TEK-M365-HP-KP-FN-BL-ML-EMC-OEM

Ruggedized Silicone Rubber Keyboard
www.prosoft.ru



- IP67 dynamic ruggedized silicone rubber keyboard
- Integrated with Force Sensing Resistor pointer(FSR)
- With 24 FN keys
- With adjustable NVIS red backlight optional
- Customized layout available
- Meet MIL-STD-461G & MIL-STD-810F
- Rear panel mount solution
- Rugged stainless steel backplate version optional

IP Grade	IP67
Interfaces	USB
Color available	Black
Backlit color	Red/White/Green/Blue
Dimension	365.0mm x 154.0.0mm x 8.8mm (L x W x H)

Alternatives



OEM back view



Non-backlit version
K-TEK-M365-HP-KP-FN-ML-EMC-OEM



Close-up pic of FSR

K-TEK-M368-OTB-FN-BL-DT

Ruggedized Silicone Rubber Keyboard
www.prosoft.ru



- IP68 ruggedized silicone rubber keyboard
- With 16mm optical trackball at 800DPI
- With aluminium housing sealed
- With adjustable NVIS backlight optional
- Customized layout available
- FN+Clean keys to freeze keyboard when cleaning
- Military level/Industrial level optional

IP Grade	IP68
Interfaces	USB/PS2
Color available	Black
Backlit color	Red
Dimension	368.0mm x 142.90mm x (18.0mm-31.0mm) (L x W x H)

Alternatives



Back View



Non-backlit optional
K-TEK-M368-OTB-FN-DT



Close-up pic

K-TEK-M376KP-FN-DT-SS



Ruggedized Silicone Rubber Keyboard

www.prosoft.ru

- IP68 ruggedized silicone rubber keyboard
- With 24 FN keys
- Customized layout available
- FN+Clean keys to freeze keyboard when cleaning
- Military level/Industrial level optional
- With stainless steel housing sealed around
- Desktop version

IP Grade	IP68
Interfaces	USB/PS2
Color available	Black
Key type	1.5mm
Dimension	376.0mm x 170.0mm x (16.0-25.0mm) (L x W x H)

Alternatives



Back View



With mounting holes optional
K-TEK-M376KP-FN-FM-DT-SS



Close-up pic

K-TEK-M378KP-FN-BL-IL-OEM

Ruggedized Silicone Rubber Keyboard
www.prosoft.ru



- IP67 ruggedized silicone rubber keyboard
- With 24 FN keys
- With adjustable NVIS backlight optional
- Customized layout available
- FN+Clean keys to freeze keyboard when cleaning
- Military level optional
- Rear panel mount with mounting holes

IP Grade	IP67
Interfaces	USB
Color available	Black
Backlit color	Red/White/Green/Blue/Yellow
Dimension	365.0mm x 153.8mm(Front panel)

Alternatives



Back View



Non-backlit optional
K-TEK-M378KP-FN-IL-OEM



Close-up pic

K-TEK-M379TP-KP-FN

Ruggedized Silicone Rubber Keyboard

www.prosoft.ru



- IP67 ruggedized silicone rubber keyboard
- Integrated sealed & tough touchpad
- With 24 FN keys
- Three mounting solutions for optional
- Customized layout available
- FN+Clean keys to freeze keyboard when cleaning
- Military level/Industrial level optional
- Carbon-on-gold key switch
- Backlight/Non backlight optional

IP Grade	IP67
Interfaces	USB/PS2
Color available	Black
Mouse buttons	2
Dimension	379.0mm x 169.0mm(Front panel)

Alternatives



Available with Red backlight version
K-TEK-M379TP-KP-FN-BL-IL-OEM



OEM version
K-TEK-M379TP-KP-FN-IL-OEM



ABS frame with stainless steel bolts
K-TEK-M379TP-KP-FN-IL



Rugged Stainless Steel Plate
K-TEK-M379TP-KP-FN-IL-SS

K-TEK-M379-OTB-KP-FN

Ruggedized Silicone Rubber Keyboard
www.prosoft.ru



- IP67 ruggedized silicone rubber keyboard
- Integrated IP68 25mm optical trackball at 800DPI
- With 24 FN keys
- Four mounting solutions for optional
- Customized layout available
- FN+Clean keys to freeze keyboard when cleaning
- Military level/Industrial level optional
- Backlit/Non backlight optional
- Carbon-on-gold key switch

IP Grade	IP67
Interfaces	USB/PS2
Color available	Black
Mouse buttons	2
Dimension	389.3mm x 179.2mm(Front panel)

Alternatives



OEM version
K-TEK-M379-OTB-KP-FN-IL-OEM



ABS frame with stainless steel bolts
K-TEK-M379-OTB-KP-FN-IL



Rugged Stainless Steel Plate
K-TEK-M379-OTB-KP-FN-SS-IL



Rugged SS housing esktop version
K-TEK-M379-OTB-KP-FN-DT

K-TEK-M390TP-KP-FN-BL-DT



- IP68 ruggedized silicone rubber keyboard
- With 12 FN keys
- With red backlight for dim environments
- Customized layout available
- Military level/Industrial level optional
- All-in-one keyboard
- Desktop version

Ruggedized Silicone Rubber Keyboard

www.prosoft.ru

IP Grade	IP68
Interfaces	USB/PS2
Color available	Black
Backlit color	Red
Dimension	390.0mm x 154.0mm x 19.0mm (L x W x H)

Alternatives



Back View



K-TEK-M379TP-KP-FN-DT



Non-backlight optional
K-TEK-M390TP-KP-FN-DT

K-TEK-M396-OTB-KP-FN-BL-DT

Ruggedized Silicone Rubber Keyboard

www.prosoft.ru



- IP68 ruggedized silicone rubber keyboard
- With 16mm IP68 optical trackball at 800DPI
- Customized layout available
- FN+Clean keys to freeze keyboard when cleaning
- Military level/Industrial level optional
- Desktop version with VESA mounting holes
- Touchpad version available

IP Grade	IP68
Interfaces	USB/PS2
Color available	Black
Backlit color	Red
Dimension	399.0mm x 148.8mm x (20.0mm-37.90mm) (L x W x H)

Alternatives



Back View



Non-backlight optional
K-TEK-M396-OTB-KP-FN-DT



Non-mouse optional
K-TEK-M396KP-FN-DT



Touchpad mouse optional
K-TEK-M396TP-KP-FN-DT

K-TEK-M396HP-KP-FN-BL-ML-EMC-OEM

Ruggedized Silicone Rubber Keyboard
www.prosoft.ru



- IP67 dynamic silicone rubber keyboard
- Integrated with Force Sensing Resistor (FSR)
- With 12 FN keys
- With adjustable NVIS red backlight optional
- Customized layout available
- Meet MIL-STD-461G & MIL-STD-810F
- Panel mount solution
- Rugged stainless steel backplate optional

IP Grade	IP67
Interfaces	USB
Color available	Black
Backlit color	Red/White/Green/Blue
Dimension	396.0mm x 146.0mm (Front panel)

Alternatives



OEM back view



K-TEK-M396HP-KP-FN-BL-ML-EMC-DT



Close-up for FSR